Rule 13 Permit Annual Report Review 327 IAC 15-13-18(a)					
MS4 Name: CITY OF COLUMBIA CITY Permit Number: INR040088	Date: 5/9/2011				
Reviewed By: Reggie Korthals, MPA, 317-234-1601	MS4 Program Coordinator rkorthal@idem.IN.gov				
Submittal Date: 9/24/2010	Did the MS4 Complete a SWQMP Update? Part B: YES Part C: YES				
MS4 Coordinator: Jeffery Walker Outside Operations Manager 316 S. Towerview Dr. Columbia City, IN 46725 260-248-5114 jpwalker@columbiacity.net	Report Completed By: SAME				

CONTROL MEASURE ACTIVITIES					
Υ	I	DR	NA	Y = Yes I = Incomplete DR = Did Not Report Not Applicable = NA	
Х				1.	Did the MS4 identify progress towards development, implementation, and enforcement of all MCMs including updated programmatic indicators? (For all MCMs)
Χ				2.	Did the MS4 provide up-dated goals? (For All MCMs)
Х				3.	Did the MS4 identify any implementation problems encountered, including BMP changes due to ineffectiveness or feasibility? (For Any MCM)
Χ				4.	Did the MS4 identify new storm water BMPs installed or initiated?
Χ				5.	Did the MS4 complete follow-up or additional water quality characterization including annexations and changes in boundaries? (In Annual Report and/or Part B Up-date)
			NA	6.	Did the MS4 complete an up-dated industrial facilities list? 327 IAC 15-13-14(f)
		Х		7.	Did the MS4 provide a summary of complaints received and follow-up investigation results related to storm water issues? 327 IAC 15-13-14(h)(2)
Χ				8.	Did the MS4 identify new storm water quality improvement projects?
Χ				9.	Did the MS4 identify new receiving water information if applicable?
Χ				10.	Did the MS4 provide on-going water quality screening or monitoring data?
			NA	11.	Did the MS4 identify new funding sources and expenditures if applicable?
			NA	12.	If Co-permitted or in a partnership, did the MS4 indicate that a new or updated MOU or Inter-local agreement was completed?

## COMMENTS:

• The City of Columbia City completed their annual report with most of the required information. A summary of complaints was not included.